

Work Order ID 61788

Friday, September 03, 2010 10:13:11 AM



Page 1

Item ID: D3781-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Lateral Cushion Assembly

Start Date: 9/3/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 9/13/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

H

Date: *10-9-03*

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3781

Rev E

100

0.00



Purchasing

Memo

0.00

Issue P/O:

12504

Ship with D3781-1 SUPPORTING PLATE

Material: SKANDIA HR150 POLYFOAM (4.6 LBS/CU FT) AND COVER

D3781-1/-3 ASSEMBLY WITH SURREY SILVER SUNSET UPHOLSTERY

FABRIC P/N SY-111. BOND D3781-3 TO D3781-1 AND FABRIC USING 3M

1300/1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH

MANUFACTURER'S INSTRUCTIONS

THREAD:MIL-VT-295 TYPE2 CLASS A,GREY NYLON THREAD,4-6

STITCHES PER INCH,USE 1/2" MIN BACKSTITCH,NO LOOSE THREADS.

Possible Supplier: AEROTEX INTERIORS INC.

Material release note is required

CY 10/9/03 (4)

110

Receive & Inspect for Damage & Mat'l Certs

0.00



Packaging

Memo

0.00

Packaging

B 10/9/22 (4)

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 61788

Friday, September 03, 2010 10:13:11 AM

Page 2

Item ID: D3781-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Lateral Cushion Assembly

Start Date: 9/3/2010 Start Qty: 4.00

Cust Item ID:

Required Date: 9/13/2010 Req'd Qty: 4.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00

QC

Memo

0.00

Quality Control

124

0.00

Small Fab

Memo

0.00

Small Fab

1- Locate and remove fabric from hole as per dwg

126

QC5- Inspect part completeness to step on W/O

0.00

QC

Memo

0.00

Quality Control



8/10/09/23

(74)

8/10/09/27 (4)

8/10/09/27

(74)

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 61788

Friday, September 03, 2010 10:13:11 AM



Page 3

Item ID: D3781-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Lateral Cushion Assembly

Start Date: 9/3/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 9/13/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location: 112

0.00



Packaging

Memo

0.00

Packaging

10/09/27 (4)

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/09/27 (4)
CL1019127

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

Friday, September 03, 2010 10:13:17 AM

Page 1

Work Order ID: 61788



Parent Item: D3781-041



Parent Item Name: Lateral Cushion Assembly



Start Date: 9/3/2010

Required Date: 9/13/2010

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A 08-05-05 new issue DD verified by:EC
 IPP Rev:B 08-07-22 revB as per dwg DD verified by:EC
 IPP Rev:C 09-01-08 rev.C as per dwg DD verified by:ec IPP Rev:D
 10.04.13 add remove fabric around holes DD verified
 by:EC IPP Rev:E
 as per dwg RevE DD 10.04.27 verified by:EC

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|--|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
| D3781-1  Supporting Plate | | Manufactured | No | | | 100 | Each | 4.0000 | 1 | 4 | | | |
| | | | | | <u>Location</u> | | | | | | | | |
| | | | | | ST087 | | | | 4 | | | | |
| | | | | | <u>56936</u> | | | | 4 | | | | |
| d3781-041P  Lateral cushion ass'y | | Purchased | No | | | 110 | Each | 0.0000 | 1 | 4 | | | |
| | | | | | | | | | | | | | |

4 CL1019/14
 11/22 (4)


| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



D3781-041 LATERAL CUSHION ASSY
(UPHOLSTERY FABRIC NOT SHOWN FOR CLARITY)



D3781-043 ARMREST CUSHION
(UPHOLSTERY FABRIC NOT SHOWN PARTIALLY FOR CLARITY)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 41788
B10-9-03

RELEASED
2010-04-26
mb

| | | | |
|------------|--|--|----------|
| E | REMOVED ZIPPER FROM D3781-043. SHEET 3 REVISED ACCORDINGLY. REASON: MANUFACTURABILITY PER NCR 10-012. | MB | 10.04.14 |
| D | REDESIGNED BASED ON FEEDBACK FROM END USERS AT HAI 2009 | MB | 09.05.21 |
| C | REDESIGNED FOR COMPATIBILITY WITH BHT 204 SEATS | MB | 08.11.10 |
| B | REDESIGNED; ADDED DETAIL A (ZN B7-1) | MB | 08.07.15 |
| A | NEW ISSUE | MB | 08.04.29 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | <i>mb</i> | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | <i>mb</i> | | |
| CHECKED | <i>mb</i> | DRAWING NO. D3781 | REV. E |
| MFG. APPR. | <i>mb</i> | SHEET 1 OF 6 | |
| APPROVED | <i>mb</i> | TITLE | SCALE |
| DE APPR. | <i>mb</i> | CUSHION ASSEMBLY | NTS |
| DATE | 10.04.14 | <small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| ITEM | QTY -041 | P/N | DESCRIPTION |
|------|-------------|--------------|---|
| 1 | X | D3781-041 | CUSHION ASSEMBLY |
| 11 | 1 | D3781-1 | SUPPORTING PLATE |
| 12 | 1 | D3781-3 | LATERAL CUSHION |
| 22 | 2 | MS21075L3 | NUT PLATE (OR MS21075-3) |
| 23 | A/R | SY-111 | SURREY SILVER SUNSET UPHOLSTERY FABRIC |
| 24 | A/R | 1300 | 3M SCOTCH-GRIP ADHESIVE |
| 25 | 4 | MS20426AD3-3 | RIVET |



SECTION A-A B6-2
2 PL, SCALE 2X

D3781-041 LATERAL CUSHION ASSEMBLY
(UPHOLSTERY FABRIC NOT SHOWN FOR CLARITY)

D3781-041 NOTES:

- 1) MATERIAL: COVER D3781-1/-3 ASSEMBLY WITH SURREY SILVER SUNSET UPHOLSTERY FABRIC P/N SY-111.
BOND FABRIC USING 3M 1300/1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
THREAD: MIL-VT-295 TYPE II CLASS A, GREY NYLON THREAD, 4-6 STITCHES PER INCH, USE 1/2" MIN BACKSTITCH, NO LOOSE THREADS
POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3781-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.18 lbs
- 8) BOND D3781-3 CUSHION TO D3781-1 SUPPORTING PLATE USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 9) IT IS ACCEPTABLE TO RELIEVE D3781-3 CUSHION WHERE THE NUTPLATES ARE LOCATED TO ENSURE PROPER CONTACT WITH D3781-1 SUPPORTING PLATE
- 10) HOLES MUST BE FREE OF ADHESIVE AND FABRIC

WLB 41788

RELEASED
2010-04-26

| | | | |
|------------|----------|---|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. E |
| MFG. APPR. | | D3781 | SHEET 2 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | CUSHION ASSEMBLY | NTS |
| DATE | 10.04.14 | COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| ITEM | QTY -043 | P/N | DESCRIPTION |
|------|-------------|-----------|---------------------------------|
| 1 | X | D3781-043 | ARMREST CUSHION ASSEMBLY |
| 3 | 1 | D3781-5 | ARMREST CUSHION |
| 4 | 1 | D3785-1 | BRACKET |
| 6 | A/R | SY-111 | SURREY SILVER SUNSET UPHOLSTERY |
| 7 | A/R | 1300 | 3M SCOTCH-GRIP ADHESIVE |

SY-111 SURREY SILVER
SUNSET UPHOLSTERY
REF

D3781-5
ARMREST CUSHION
REF

D3785-1
BRACKET
REF

SY-111 SURREY SILVER
SUNSET UPHOLSTERY
REF

D3785-1
BRACKET
REF

D3781-5
ARMREST CUSHION
REF

SY-111 SURREY SILVER
SUNSET UPHOLSTERY
REF

D3785-1
BRACKET

D3781-5
ARMREST CUSHION

D3781-043 LATERAL ARMREST CUSHION BASE ASSY (UPHOLSTERY FABRIC SHOWN PARTIALLY FOR CLARITY)

D3781-043 NOTES:

- 1) MATERIAL:
 - 1.1) SURREY SILVER SUNSET UPHOLSTERY FABRIC P/N SY-111.
 - 1.2) THREAD: MIL-VT-295 TYPE II CLASS A, GREY NYLON THREAD, 4-6 STITCHES PER INCH, USE 1/2" MIN BACKSTITCH, NO LOOSE THREADS
 - 1.3) ADHESIVE: 3M 1300/1300L
 - 1.4) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3781-043" USING FINE POINT PERMANENT INK MARKER AFTER RECEIVING
- 7) WEIGHT: 1.14 lbs
- 8) COVER D3781-5/D3785-1 ASSEMBLY WITH FABRIC (ITEM 6). BOND FABRIC TO PLATE USING ITEM 7 (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 9) DO NOT COVER HOLES WITH FABRIC

| | | | |
|------------|----------|--|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. E |
| MFG. APPR. | | D3781 | SHEET 3 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | CUSHION ASSEMBLY | NTS |
| DATE | 10.04.14 | <small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

RELEASED
2010-04-26

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1

D



C

B

A



D3781-1 SUPPORTING PLATE



W/061288

RELEASED
2010-04-26

D3781-1 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
REF. DART SPEC. M6061T6S.080
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.12 lbs

| | | | |
|---|----------|--|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. E |
| MFG. APPR. | | D3781 | SHEET 4 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | CUSHION ASSEMBLY | NTS |
| DATE | 10.04.14 | COPYRIGHT © 2008 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |

8 7 6 5 4 3 2 1





| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



D3781-3 LATERAL CUSHION

w/641788

RELEASED
2010-04-26
MP

D3781-3 NOTES:

- 1) MATERIAL: SKANDIA HR150 POLYFOAM (4.6 LBS/CU FT)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.06 lbs
- 8) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.

| | | | |
|------------|-----------------|--|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. E |
| MFG. APPR. | | D3781 | SHEET 5 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | CUSHION ASSEMBLY | NTS |
| DATE | 10.04.14 | <small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |


| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



D3781-5 NOTES:

- 1) MATERIAL: SKANDIA HR150 POLYFOAM (4.6 LBS/CU FT)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.67 lbs
- 8) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.

| | | | | |
|------------|----------|--|------------------|--------|
| DESIGN | | DART AEROSPACE LTD | | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | | |
| CHECKED | | DRAWING NO. | D3781 | REV. E |
| MFG. APPR. | | SHEET 6 OF 6 | | |
| APPROVED | | TITLE | CUSHION ASSEMBLY | SCALE |
| DE APPR. | | NTS | | |
| DATE | 10.04.14 | COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|--------------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12504

Purchase Order Date 9/03/10

PO Print Date 9/03/10

Page Number 1 of 1

Order From :

VC-AER003

AEROTEX INTERIORS INC.
#24-2333 18TH AVENUE N. E.
CALGARY, AB T2E 8T6
CA

Contact Name

Vendor Phone 403 295 8770

Vendor Fax 403 313 0793

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
9/10/9/03

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|--|------------------------|-----------------------------------|-----------------------------|--------------|------------|-------------------|
| 1 | D3305-1P | Cushion | 9/13/10 Yes | 6.00 Each | FedEx PI ppd | \$40.0000 | \$240.00 |
| | | Special Inst: | AS PER DWG D3305 REV. B B61786 | | | | |
| 2 | D3306-041P | Cover Assembly | 9/13/10 Yes | 6.00 Each | FedEx PI ppd | \$45.0000 | \$270.00 |
| | | Special Inst: | AS PER DWG D3306 REV. B B61787 | | | | |
| 3 | d3781-041P | Lateral cushion ass'y | 9/13/10 Yes | 4.00 Each | FedEx PI ppd | \$175.0000 | \$700.00 |
| | | Special Inst: | AS PER DWG D3781 REV. E B61788 | | | | |

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

PO Total:

\$1,210.00

Change Nbr: 1

Change Date: 9/03/10

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



#24, 2333 - 18 Ave NE
Calgary, AB T2E 8T6
Phone: (403) 295-8770
Fax: (403) 313 0793

Packing Slip

| Date | Packing Slip# |
|------------|---------------|
| 20/09/2010 | 7691 |

| | |
|--|------------------|
| Ship To | |
| Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, Ontario K6A 1K7 Canada | |
| Customer Phone | Customer Fax |
| 613.632.5200 | 613.632.1053 |
| Ship Via | Courier Acct No. |
| FED EX | 1517-9324-0 |

| |
|--|
| Invoice To |
| Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, Ontario K6A 1K7 Canada |

| Ship Date | P.O. No. |
|------------|----------|
| 20/09/2010 | PO12504 |

| Aircraft | Description | Part Number | Qty |
|----------|--|-------------|-----|
| DART | HEAD REST CUSHION AS PER DWG. D3305 | D3305-1P | 6 |
| DART | HEAD REST COVER WITH 3 VELCRO CLOSURE AS PER DWG D3306 | D3306-041P | 6 |
| DART | LATERAL CUSHION ASSY. GST On Sales | D3781-041P | 4 |

Rec'd 9/22

Thank you for doing business with Aerotex Interiors!

www.aerotexinteriors.com

GST/HST No. 139110308



- Unit 24, 2333 - 18 Ave NE, Calgary AB T2E 8T6 - Phone: (403) 295 -8770 - Fax: (403) 313 - 0793 -

CERTIFICATION OF CONFORMANCE

Customer Purchase Order:
Our Work Order:

PO12504
7691

THIS IS TO CERTIFY THAT THE FOLLOWING MATERIALS HAVE BEEN USED IN THE WORK ORDER STATED ABOVE:

FOAM - HR150

MATERIAL - SURREY SILVER SUNSET

THREAD - MIL-VT-295 TYPE II CLASS A, GREY HYLON THREAD

HAS BEEN FABRICATED TO ESTABLISHED SPECIFICATION TO CONFIRM WITH
DWG NO. D3781-041p

SOLD TO:

DART AEROSPACE LTD., 1270 ABERDEEN STREET, HAWKESBURY, ON K6A 1K7

AUTHORIZED REPRESENTATIVE